



和利时PLC大本营

抖音号: 93194570189

北京和利时智能技术有限公司抖音唯一官方账号

北京和利时智能技术有限



ABOUT SEMICONDUCTOR

3E

CONTENTS



- P1
- P3
- P5
- P7
- P9
- P11



- P13
- P17
- P19
- P19






- P20





01



- ★ ★ ★
- EtherCAT
 - EtherCAT
 - DeviceNet
 - I/O DI DO AI RTD TC


02

-
-
-



03

-
-
-
- QCK6 Q0




04

-
-
-
-

QCK6 Q0

BctgacLcr





-
-
-

QCK:Q0

*


BctgacLcr



KDA

G-M

06



★ ★ ★

>		3KHz	1ms
>	EtherCAT	0.5ms	
>			
>	HLink		




01

LX



LXS



- > CPU 56mm IO 12mm
- > 3ns 500us
- > 64 16
- > DeviceNet EtherCAT EtherNet/IP OPC UA Modbus
- > IEC61131-3 PLCopen C/C++
- > SIL 3 PL e Cat. 4

LK

PLC



766MHz

I/O

-40

-+70

-40

-+80

FA-AutoThink

D?+?srmRfgI i

6CA 4//1/+1

-

QR JB ADA QDA

NJAmncI

NJA

01

02

03

04

PLC

TÜV

IEC 61131-3

05



06



07

08

ST、LD、CFC、SFC



PLCopen







LD

FBD



ST



PLCopen

02

HSM

5°C~10°C

23-bit

6000rpm

IP67

6
100W~4.4kW (220V)
850W~200kW (380V)

Λ

À

◀

\$


\$

03

HollyControl

C/S B/S M/S

04



4.3 ~15.6

1677 TFT

BMP JPG GIF


USB SLAVE

PLC

LOGO

>

400-811-1999



5

6

5Ö02

2..